






Data SIO, NOAA, U.S. Navy, NGA, GEBCO
Image U.S. Geological Survey
US Dept of State Geographer
© 2014 Google


Google earth





Google earth


48°51'44.25" S 169°00'24.24" W sichthöhe 15571.80 km













TWA/TWS	total	0 to 10knts	10 to 16knts	16 to 22knts	22 to 30knts	30kts and more
total	100%	9%	35%	22%	34%	
0 to 50°						
50 to 100°	14%	4%	10%			
100 to 130°	13%	2%	10%	1%		
130 to 150°	17%	1%	8%	6%	2%	
150 to 180°	56%	2%	7%	15%	32%	





LOCAL WEATHER.—For extended remarks on the marine climate along foreign coasts, see the appropriate Sailing Directions and Planning Guides prepared and published by the National Imagery and Mapping Agency for the coasts of the United States and its possessions; see the appropriate Coast Pilot prepared and published by the National Ocean Service. The bimonthly publication "Marine Weather Log" prepared and published by the National Oceanic and Atmospheric Administration, National Weather Service, carries informative articles on marine climate conditions and tropical cyclone information.

FEBRUARY

PRESSURE.—Centered near 36°S, 98°W, the average central pressure of the South Pacific subtropical high runs just over 1023 millibars in February. The subtropical high extends from 8°S to 50°S at 100°W and from South America to Australia. The equatorial trough is centered north of the equator between South America and 170°W, then swings southwest between Australia and New Guinea. A strong zonal pressure gradient remains south of 50°S.

TEMPERATURE.—At the equator, mean air temperatures range from 25°C off the coast of South America to over 28°C west of 15°W. Along the equator 85% of the observations fall between 23°C and 31°C. At 40°S, means range from 8°C to 9°C, with approximately 98% of the observations occurring between 0°C and 8°C.

WINDS.—Southeast trade winds range north of 40°S from the coast of South America to as far west as 130°W. East-only winds extend from here to 170°W, northerly winds prevail north of Australia, and southeasterly winds prevail between Australia and New Zealand. Westerly winds continue to prevail south of 40°S where scalar winds average force 4 to 5. North of 40°S winds average force 3 to 4.

GALES.—Although gale force winds (force 8 or greater) are infrequently observed north of 40°S, the probability of occurrence is slightly greater at these latitudes over the western Pacific due to tropical storm activity. Gale force winds are reported 10% or more of the time south of 50°S; frequencies reach 20% off the southwest coast of Chile and over the central South Pacific between 55°S and 80°S.

TROPICAL CYCLONES.—February brings the highest frequency of tropical storms to the South Pacific, observed solely within the northwest quadrant. During an average 10-year period, 41 tropical storms (> 34 knots) can be expected to occur, and of these, 11 should attain hurricane strength (> 64 knots).

VISIBILITY.—In general, poor visibilities (less than 2 miles) occur 10% or more of the time south of 45°S. Frequencies increase to a maximum of over 30% south of 55°S.

WAVE HEIGHTS.—Wave height frequencies of 12 feet or greater are at a minimum between the equator and 20°S. Most areas south of 20°S report frequencies of 10% or more, except for the coastal areas of New Zealand and Australia. Between 50°S and 60°S, frequencies of 40% or higher are reported, except south of New Zealand (30%) and South America (23%).

CHART #1

TROPICAL CYCLONES

The mean tracks of tropical storms and hurricanes are shown in red. These tracks represent averages and movements of individual systems may vary widely.

SURFACE PRESSURE

This chart shows the average barometric pressure reduced to sea level. Isobars are solid blue lines for every 2.5 millibars difference in pressure.

CHART #2

AIR TEMPERATURE

The mean air temperature (°C) in red lines is shown for every 2 degrees. All weather observations refer to air temperature.

VISIBILITY

Blue lines show percentages of observations reporting visibilities less than 2 miles.

CHART #3

GALES

The red isobars at the center of each 5-degree square on this chart show the average percentage of ship reports in which winds of at least force 8 have been recorded for the month. In cases where the observations are too few, the gale frequency may be inconclusive and is indicated by a dashed line. The values used in the text, where "D" is given, gale winds have been recorded but not infrequently to give a percentage value.

SEA SURFACE TEMPERATURE






The mean sea surface temperature (°C) in blue lines is shown for every degree.

EXPLANATION OF WIND ROSES

PREVAILING WINDS AND CALMS.—The wind rose in blue color is located in the center of each 5° square where there was sufficient data. The rose shows the distribution of the winds that have prevailed in the area over a considerable period. The wind percentages are summarized for the eight points and calm. The arrows fly with the wind indicating the direction from which the wind blew. The length of the shaft, measured from the outside of the circle using the scale below, gives the percent of the total number of observations in which the wind has blown from that direction. The number of feathers shows the average force of the wind on the Beaufort scale. The figure in the center of the circle gives the percentage of calms. When the arrow is too long to fit conveniently in the 5° square, anything over 25 percent, the shaft is broken and the percentage is indicated by numerals.




FOR EXAMPLE.—The sample wind rose should read that: in the reported observations the wind has averaged as follows: From N, 3 percent; force 3, N.E., 16 percent; force 4, E., 61 percent; force 4, S.E., 17 percent; force 5, S., 1 percent; force 4, S.W., less than 1 percent; force 3, W., 1 percent; force 2, N.W., 1 percent; force 4, calms 0 percent.




FEBRUARY


February
QuikSCAT 1x1° (2000–2004)

Click anywhere on this image to
explore the climatological winds
within your region of interest.





MARCH





48.57° S, 109.99° W ×

240° @ 13.6 sec


3.47 m


earth





48.57° S, 109.99° W ×
240° @ 13.6 sec
10.3 °C
earth







SOUTH-EASTERN PART
OF
TIERRA DEL FUEGO

Copyright © 1999 by McGraw-Hill
All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission from McGraw-Hill.

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26


1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.
























National Weather Service National Hurricane Center

[Home](#)[News](#)[Organization](#)[Search](#)

Local forecast by
"City, St" or "ZIP"

Alternate Formats

[Text](#) | [Mobile](#)
[Email](#) | [RSS](#)
[About Alternates](#)

Cyclone Forecasts

[Latest Advisory](#)
[Past Advisories](#)
[Audio/Podcasts](#)
[About Advisories](#)

Marine Forecasts

[Atlantic & E Pacific](#)
[Gridded Marine](#)
[About Marine](#)

Tools & Data

[Satellite](#) | [Radar](#)
[Analysis Tools](#)
[Aircraft Recon](#)
[GIS Datasets](#)
[Data Archive](#)

Development

[Experimental](#)
[Research](#)
[Forecast Accuracy](#)

Outreach & Education

[Prepare](#)
[Storm Surge](#)
[About Cyclones](#)
[Cyclone Names](#)
[Wind Scale](#)
[Most Extreme](#)
[Forecast Models](#)
[Breakpoints](#)
[Resources](#)
[Glossary](#) | [Acronyms](#)
[Frequent Questions](#)

Our Organization

NHC Active Tropical Cyclones



Atlantic - Caribbean Sea - Gulf of Mexico

[Tropical Weather Outlook](#)

[Tropical Weather Discussion](#)

National Weather Service • Since 1870



WORLD
TWO CREW • NON STOP



FORMULA
NORUEGA

Neutrogena

Neutrogena

Neutrogena

















Vielen Dank!

Ralf Brauner, Boris Herrmann, Hans-Jörg Nafzger

Wetter auf See

[Leseprobe](#)

[Übersicht](#)

[Leserstimmen](#)



[Cover-Download](#)

Produktdetails

1. Auflage 2014, 200 Seiten, 72
Farbfotos, 206 farbige Abbildungen,
5 Tabellen, Format 20,6 x 22,5 cm,
gebunden, DSV-Verlag

Für alle, die sich auf dem Wasser bewegen, ist das Wetter einer der wichtigsten Faktoren. Segler und Motorbootfahrer müssen sich deshalb intensiv mit den Grundlagen der Wetterkunde beschäftigen.

Wie verschiedene Wetterlagen entstehen und wo und wie man zuverlässige Informationen darüber einholen kann, erläutern die drei renommierten und praxiserfahrenen Autoren in diesem Buch. Dabei gehen sie unter anderem auf folgende Themen ein:

- Tief- und Hochdruckgebiete
- lokale und regionale Wetterereignisse
- Wetter der Tropen und der Polarregionen
- Seegang und Meeresströmungen
- meteorologische Törnplanung
- Wettsegeln

Damit richtet sich dieser Leitfaden genauso an den sicherheitsbewussten Fahrtensegler wie an den ambitionierten Regattasegler. Nautik-Studierende und Berufsseeleute profitieren ebenfalls davon. Zahlreiche anschauliche Grafiken machen den Inhalt auch für den Laien verständlich.

boris@borisherrmannracing.com